## **Amendments to the claims**

Please amend the claims as follows:

Claim 1. (Previously amended) A compound of formula (I):

$$R_4$$
 $R_5$ 
 $R_6$ 
 $R_{11}$ 
 $R_{10}$ 
 $R_{10}$ 

wherein

W is  $OR_1$ ,  $NR_2OR_1$ ,  $NR_AR_B$ ,  $NR_2NR_AR_B$ ,  $O(CH_2)_{1-4}NR_AR_B$ ,  $NR_2(CH_2)_{1-4}NR_AR_B$ ,  $O(CH_2)_{1-4}OR_1$ , or  $NR_2(CH_2)_{1-4}OR_1$ ;

 $R_1$  is H, C  $_{1-8}$  alkyl, C  $_{2-8}$  alkenyl, C  $_{2-8}$  alkynyl, C  $_{3-8}$  cycloalkyl, phenyl, (phenyl)C  $_{1-4}$  alkyl, (phenyl)C  $_{2-4}$  alkenyl, (phenyl)C  $_{2-4}$  alkynyl, (C  $_{3-8}$  cycloalkyl)C  $_{2-4}$  alkynyl, (C  $_{3-8}$  cycloalkyl)C  $_{2-4}$  alkynyl;

each of  $R_2$  and  $R_3$  is independently H, phenyl, C <sub>1-4</sub> alkyl, C <sub>3-8</sub> alkynyl, C <sub>3-8</sub> cycloalkyl, or (C <sub>3-8</sub> cycloalkyl)C <sub>1-4</sub> alkyl;

each of  $R_4$ ,  $R_5$  and  $R_6$  is independently H, Cl, F, or Br;

R<sub>A</sub> is H, C  $_{1-6}$  alkyl, C  $_{3-8}$  alkenyl, C  $_{3-8}$  alkynyl, C  $_{3-8}$  cycloalkyl, phenyl, (C  $_{3-8}$  cycloalkyl)C  $_{1-4}$  alkyl, (C  $_{3-8}$  cycloalkyl)C  $_{2-4}$  alkenyl, (C  $_{3-8}$  cycloalkyl)C  $_{2-4}$  alkynyl, (aminosulfonyl)phenyl, [(aminosulfonyl)phenyl]C  $_{1-4}$  alkyl, (aminosulfonyl)C  $_{3-6}$  cycloalkyl, or [(aminosulfonyl)C  $_{3-6}$  cycloalkyl]C  $_{1-4}$  alkyl,

 $R_B$  is H, C  $_{1-8}$  alkyl, C  $_{2-8}$  alkenyl, C  $_{2-8}$  alkynyl, C  $_{3-8}$  cycloalkyl, or phenyl;

J is SR<sub>C</sub>, SO<sub>2</sub>R<sub>C</sub>, SOR<sub>C</sub>, SO<sub>2</sub>NR<sub>D</sub>R<sub>E</sub>, C  $_{1-8}$  alkyl, C  $_{2-8}$  alkenyl, C  $_{2-8}$  alkynyl, C  $_{3-8}$  cycloalkyl, C  $_{5-8}$  cycloalkenyl, phenyl, (C  $_{3-8}$  cycloalkyl)C  $_{1-4}$  alkyl, (C  $_{3-8}$  cycloalkyl)C  $_{2-4}$  alkenyl, (C  $_{3-8}$  cycloalkyl)C  $_{2-4}$  alkynyl, or (cycloalkyl)-M'-E'-G';

M' is O, SO, SO<sub>2</sub>, NR<sub>E</sub>, (CO)NR<sub>E</sub>, NR<sub>E</sub> (CO), SO<sub>2</sub>NR<sub>E</sub>, NR<sub>E</sub>SO<sub>2</sub>, or CH<sub>2</sub>; USERS\DOCS\LA2\1952\LPGXB\4R\$NO\1\:DOC\222287

E' is absent (a covalent bond),  $(CH_2)_{1-4}$  or  $(CH_2)_m$   $O(CH_2)_p$  where  $1 \le$  (each of m and p independently)  $\le 3$  and  $2 \le (m + p) \le 4$ ;

G' is  $OR_3$ ,  $SO_2R_{C_1}$  or  $NR_FR_G$ ; provided that where p = 1, then G' is H;

each of  $R_C$ ,  $R_D$ ,  $R_E$ ,  $R_F$  and  $R_G$  is independently selected from H, C  $_{1-6}$  alkyl, C  $_{2-4}$  alkenyl, C  $_{2-4}$  alkynyl, C  $_{3-6}$  cycloalkyl, and phenyl;

R<sub>10</sub> is H, C <sub>1-4</sub> alkyl, halo, NO<sub>2</sub>, or SO<sub>2</sub>NR<sub>H</sub>R<sub>I</sub>; and

R<sub>11</sub> is H, halo, or NO<sub>2</sub>;

wherein each hydrocarbon radical above is optionally substituted with between 1 and 3 substituents independently selected from halo, C  $_{1-4}$  alkyl, C  $_{3-6}$  cycloalkyl, C  $_{2-4}$  alkenyl, C  $_{2-4}$  alkynyl, phenyl, hydroxy, amino, (amino)sulfonyl, and NO $_2$ , wherein each substituent alkyl, cycloalkyl, alkenyl, alkynyl or phenyl is in turn optionally substituted with between 1 and 3 substituents independently selected from halo, C  $_{1-2}$  alkyl, hydroxy, amino, and NO $_2$ ;

or a pharmaceutically acceptable salt or C <sub>1-7</sub> ester thereof.

Claim 2. (Original) A compound of claim 1, wherein R<sub>C</sub> is C <sub>1-2</sub> alkyl.

Claim 3. (Original) A compound of claim 1, wherein W is OH.

Claim 4. (Original) A compound of claim 1, wherein W is NHOH.

Claim 5. (Original) A compound of claim 1, wherein W is NHO(cyclopropylmethyl).

Claim 6. (Original) A compound of claim 1, wherein  $R_{10}$  is methyl or chloro.

Claim 7. (Original) A compound of claim 1, where R<sub>11</sub> is fluoro.

Claim 8. (Original) A compound of claim 1, where R<sub>11</sub> is H.

Claim 9. (Original) A compound of claim 1, wherein J is trihalomethyl or methylthio.

Claim 10. (Cancelled).

Claim 11. (Original) A compound of claim 1, wherein J is SO<sub>2</sub>CH<sub>3.</sub>

Claim 12. (Original) A compound of claim 1, wherein J is SOCH<sub>3.</sub>

Claim 13. (Original) A compound of claim 1, wherein J is C <sub>2-8</sub> alkynyl where the triple bond is between the carbon atoms alpha and beta to the phenyl group.

Claim 14. (Original) A compound of claim 1, wherein R<sub>1</sub> has at least one hydroxy substituent.

Claim 15. (Original) A compound of claim 1, wherein  $R_1$  is H, methyl, ethyl, propyl, isopropyl, isobutyl, benzyl, phenethyl, allyl, C  $_{3-5}$  alkenyl, C  $_{3-5}$  alkenyl, C  $_{3-5}$  cycloalkyl, (C  $_{3-5}$  cycloalkyl)C  $_{1-2}$  alkyl, or (C  $_{3-5}$  heterocyclic radical)-C  $_{1-2}$  alkyl.

Claim 16. (Original) A compound of claim 15, wherein  $R_1$  is H or (C  $_{3-4}$  cycloalkyl)-C  $_{1-2}$  alkyl.

Claim 17. (Original) A compound of claim 1, wherein  $R_2$  is H, methyl, C  $_{3-5}$  alkynyl, C  $_{3-5}$  cycloalkyl, or (C  $_{3-5}$  cycloalkyl)methyl.

Claim 18. (Previously amended) A compound of claim 1, wherein  $R_A$  is H, methyl, ethyl, isobutyl, hydroxyethyl, hydroxypropyl, cyclopropylmethyl, cyclobutylmethyl, C  $_{2-4}$  alkynyl, phenyl, 2,3-dihydroxy-propyl, or 2-diethylaminoethyl; and  $R_B$  is H; or where  $R_B$  is methyl and  $R_A$  is phenyl.

Claim 19. (Original) A compound of claim 1, wherein each of  $R_4$  and  $R_6$  is H, and  $R_5$  is F.

Claim 20. (Original) A compound of claim 1, wherein each of  $R_4$ ,  $R_5$ , and  $R_6$  is F.

Claim 21. (Original) A compound of claim 1, wherein each of  $R_4$  and  $R_5$  is F and  $R_6$  is Br.

Claim 22. (Original) A compound of claim 1, wherein R<sub>5</sub> is F.

Claim 23. (Original) A compound of claim 1, having the structure: 4fluoro-2-(2-methyl-4-methylsulfanyl-phenylamino)-benzoic acid; difluoro-2-(2-methyl-4-methylsulfanyl-phenylamino)-benzoic acid; 3,4-difluoro-2-(4-methanesulfinyl-2-methyl-phenylamino)-benzoic acid; 2-(4-methanesulfinyl-2-methyl-phenylamino)-4-nitro-benzoic acid; 3,4,5-trifluoro-2-(4methanesulfonyl-2-methyl-phenylamino)-benzoic acid; 3,4-difluoro-2-(2-methyl-4-methylsulfanyl-phenylamino)-benzoic 2-(2-methyl-4-methylsulfanylacid; phenylamino)-4-nitro-benzoic 3,4,5-trifluoro-2-(4-methanesulfinyl-2acid; methyl-phenylamino)-benzoic 4-fluoro-2-(4-methanesulfinyl-2-methylacid; phenylamino)-benzoic acid; 5-bromo-3,4-difluoro-2-(4-methanesulfonyl-2-

methyl-phenylamino)-benzoic acid; 3.4,5-trifluoro-2-(2-methyl-4-methylsulfanylphenylamino)-benzoic acid; 4-fluoro-2-(4-methane-sulfinyl-2-methylphenylamino)-benzoic acid: 5-bromo-3,4-difluoro-2-(4-methanesulfinyl-2methyl-phenylamino)-benzoic acid; 3,4-difluoro-2-(4-methanesulfonyl-2-methylphenylamino)-benzoic acid; 2-(4-methanesulfonyl-2-methyl-phenylamino)-4nitro-benzoic acid; N-cyclopropylmethoxy-4-fluoro-2-(2-methyl-4-methylsulfanylphenylamino)-benzamide; 5-bromo-N-cyclopropylmethoxy-3,4-difluoro-2-(2methyl-4-methylsulfanyl-phenylamino)-benzamide; N-cyclopropylmethoxy-3,4difluoro-2-(4-methanesulfinyl-2-methyl-phenylamino)-benzamide; Ncyclopropylmethoxy-2-(4-methanesulfinyl-2-methyl-phenylamino)-4-nitrobenzamide; N-cyclopropylmethoxy-3,4,5-trifluoro-2-(4-methanesulfonyl-2methyl-phenylamino)-benzamide; N-cyclopropylmethoxy-3,4-difluoro-2-(2methyl-4-methylsulfanyl-phenylamino)-benzamide; N-cyclopropylmethoxy-2-(2methyl-4-methylsulfanyl-phenylamino)-4-nitro-benzamide; Ncyclopropylmethoxy-3,4,5-trifluoro-2-(4-methanesulfinyl-2-methyl-phenylamino)benzamide: N-cyclopropylmethoxy-4-fluoro-2-(4-methanesulfinyl-2-methylphenylamino)-benzamide; 5-bromo-N-cyclopropylmethoxy-3,4-difluoro-2-(4methanesulfonyl-2-methyl-phenylamino)-benzamide; N-cyclopropylmethoxy-3,4,5-trifluoro-2-(2-methyl-4-methylsulfanyl-phenylamino)-benzamide; Ncyclopropylmethoxy-4-fluoro-2-(4-methanesulfinyl-2-methyl-phenylamino)benzamide; 5-bromo-N-cyclopropylmethoxy-3,4-difluoro-2-(4-methanesulfinyl-2methyl-phenylamino)-benzamide; N-cyclopropylmethoxy-3,4-difluoro-2-(4methanesulfonyl-2-methyl-phenylamino)-benzamide; or N-cyclopropylmethoxy-2-(4-methanesulfonyl-2-methyl-phenylamino)-4-nitro-benzamide.

Claim 24. (Original) A compound of claim 1, having the structure: 4-fluoro-N-hydroxy-2-(2-methyl-4-methylsulfanyl-phenylamino)-benzamide; 5-bromo-3,4-difluoro-N-hydroxy-2-(2-methyl-4-methylsulfanyl-phenylamino)-benzamide; 3,4-difluoro-N-hydroxy-2-(4-methanesulfinyl-2-methyl-phenylamino)-benzamide; N-hydroxy-2-(4-methanesulfinyl-2-methyl-phenylamino)-4-nitro-benzamide; 3,4,5-trifluoro-N-hydroxy-2-(4-methanesulfonyl-2-methyl-phenylamino)-benzamide; 3,4-difluoro-N-hydroxy-2-

(2-methyl-4-methylsulfanyl-phenylamino)-benzamide; N-hydroxy-2-(2-methyl-4methylsulfanyl-phenylamino)-4-nitro-benzamide; 8: 3,4,5-trifluoro-N-hydroxy-2-(4-methanesulfinyl-2-methyl-phenylamino)-benzamide; 4-fluoro-N-hydroxy-2-(4methanesulfinyl-2-methyl-phenylamino)-benzamide; 5-bromo-3,4-difluoro-Nhydroxy-2-(4-methanesulfonyl-2-methyl-phenylamino)-benzamide; 3,4,5trifluoro-N-hydroxy-2-(2-methyl-4-methylsulfanyl-phenylamino)-benzamide; 4fluoro-N-hydroxy-2-(4-methanesulfinyl-2-methyl-phenylamino)-benzamide; 5-bromo-3,4-difluoro-N-hydroxy-2-(4-methanesulfinyl-2-methyl-phenylamino)-3,4-difluoro-N-hydroxy-2-(4-methanesulfonyl-2-methylbenzamide; phenylamino)-benzamide; N-hydroxy-2-(4-methanesulfonyl-2-methylphenylamino)-4-nitro-benzamide.

Claim 25. (Cancelled).

Claim 26. (Previously amended) The compound of claim 1, having a structure selected from: 5-bromo-2-(2-chloro-4-methylsulfanyl-phenylamino)-3,4-difluoro-benzoic acid; 2-(2-chloro-4-methanesulfinyl-phenylamino)-3,4difluoro-benzoic acid; 2-(2-chloro-4-methanesulfonyl-phenylamino)-3,4,5trifluoro-benzoic acid; 2-(2-chloro-methylsulfanyl-phenylamino)-3,4-difluorobenzoic acid: 5-bromo-2-(2-chloro-4-methanesulfonyl-phenylamino)-3,4difluoro-benzoic acid; 2-(2-Chloro-4-methanesulfonyl-phenylamino)-3,4-difluorobenzoic acid: 5-bromo-2-(2-chloro-4-methylsulfanyl-phenylamino)-Ncyclopropylmethoxy-3,4-difluoro-benzamide; 2-(2-chloro-4-methanesulfinylphenylamino)-N-cyclopropylmethoxy-3,4-difluoro-benzamide; 2-(2-chloro-4methanesulfonyl-phenylamino)-N-cyclopropylmethoxy-3,4,5-trifluorobenzamide; 2-(2-chloro-4-methylsulfanyl-phenylamino)-N-cyclopropylmethoxy-3,4-difluoro-benzamide; 2-(2-chloro-4-methanesulfinyl-phenylamino)-Ncyclopropylmethoxy-3,4,5-trifluoro-benzamide; 5-bromo-2-(2-chloro-4methanesulfonyl-phenylamino)-N-cyclopropylmethoxy-3,4-difluoro-benzamide; 2-(2-chloro-4-methylsulfanyl-phenylamino)-N-cyclopropylmethoxy-3,4,5trifluoro-benzamide; and 2-(2-chloro-4-methanesulfonyl-phenylamino)-Ncyclopropylmethoxy-3,4-difluoro-benzamide.

Claim 27. (Original) The compound of claim 1, having a structure 2-(4-Ethynyl-2-methyl-phenylamino)-4-fluoro-benzoic acid; 5selected from: Bromo-2-(4-ethynyl-2-methyl-phenylamino)-3,4-difluoro-benzoic acid: N-Cyclopropylmethoxy-2-(4-ethynyl-2-methyl-phenylamino)-3,4-difluorobenzamide; N-Cyclopropylmethoxy-2-(4-ethynyl-2-methyl-phenylamino)-4-nitro-Benzamide: 2-(4-Ethynyl-2-methyl-phenylamino)-3,4,5-trifluoro-N-hydroxybenzamide; 2-(4-Ethynyl-2-methyl-phenylamino)-3,4-difluoro-benzoic acid; 2-(4-Ethynyl-2-methyl-phenylamino)-4-nitro-benzoic acid; N-Cyclopropylmethoxy-2-(4-ethynyl-2-methyl-phenylamino)-3,4,5-trifluoro-benzamide; 4-Fluoro-Nhydroxy-2-(4-methanesulfinyl-2-methyl-phenylamino)-benzamide; 5-Bromo-2-(4-ethynyl-2-methyl-phenylamino)-3,4-difluoro-N-hydroxy-benzamide; 2-(4-Ethynyl-2-methyl-phenylamino)-3,4,5-trifluoro-benzoic Nacid: Cyclopropylmethoxy-2-(4-ethynyl-2-methyl-phenylamino)-4-fluoro-benzamide; 5-Bromo-N-cyclopropylmethoxy-2-(4-ethynyl-2-methyl-phenylamino)-3,4difluoro-benzamide; 2-(4-Ethynyl-2-methyl-phenylamino)-3,4-difluoro-Nhydroxy-benzamide; 2-(4-Ethynyl-2-methyl-phenylamino)-N-hydroxy-4-nitrobenzamide; 2-(4-Ethynyl-2-methyl-phenylamino)-4-fluoro-benzoic N-Cyclopropylmethoxy-2-(4-ethynyl-2-methyl-phenylamino)-4-fluoro-benzamide; and 4-Fluoro-N-hydroxy-2-(4-methanesulfinyl-2-methyl-phenylamino)benzamide.

Claim 28. (Previously amended) The compound of claim 1, having a structure selected from: 2-(2-Chloro-4-ethynyl-phenylamino)-4-fluoro-benzoic acid; 5-Bromo-2-(2-chloro-4-ethynyl-phenylamino)-3,4-difluoro-benzoic acid; 2-(2-Chloro-4-ethynyl-phenylamino)-N-cyclopropylmethoxy-3,4-difluorobenzamide; 2-(2-Chloro-4-ethynyl-phenylamino)- N-cyclopropylmethoxy-4-nitrobenzamide; 2-(2-Chloro-4-ethynyl-phenylamino)-N-hydroxy-3,4,5-trifluorobenzamide; 2-(2-Chloro-4-ethynyl-phenylamino)-3,4-difluoro-benzoic acid; 2-(4-Ethynyl-2-chloro-phenylamino)-4-nitro-benzoic acid: 2-(2-Chloro-4-ethynylphenylamino)- N-Cyclopropylmethoxy-3,4,5-trifluoro-benzamide; 2-(2-chloro-4methanesulfinyl-phenylamino)- 4-fluoro-N-hydroxy-benzamide; 5-Bromo-2-(4ethynyl-2-chloro-phenylamino)-3,4-difluoro-N-hydroxy-benzamide; 2-(2-Chloro4-ethynyl-phenylamino)-3,4,5-trifluoro-benzoic acid; 2-(2-Chloro-4-ethynyl-phenylamino)- N-cyclopropylmethoxy-4-fluoro-benzamide; 5-Bromo-2-(2-chloro-4-ethynyl-phenylamino)-N-cyclopropylmethoxy-3,4-difluoro-benzamide; 2-(4-Ethynyl-2-chloro-phenylamino)-3,4-difluoro-N-hydroxy-benzamide; 2-(4-Ethynyl-2-chloro-phenylamino)-N-hydroxy-4-nitro-benzamide; 2-(2-Chloro-4-ethynyl-phenylamino)-4-fluoro-benzoic acid; 2-(2-Chloro-4-ethynyl-phenylamino)- N-cyclopropylmethoxy-4-fluoro-benzamide; and 2-(2-Chloro-4-methanesulfinyl-phenylamino)-4-fluoro-N-hydroxy-benzamide.

Claim 29. (Original) A pharmaceutical composition comprising a compound of claim 1 and a pharmaceutically-acceptable carrier.

Claims 30-50 (Cancelled).